




Geno: WT Bait: CRY1
Range: -72200.5,7535




Geno.: WT Bait: CRY1
Range: -72200.5,7535




Geno:, WT Bait: Cry1intron
Range: -51432.5,9967




Geno:, WT Bait: Cry1intron
Range: -51432.5,9967




Geno:, WT Bait: GYS2
Range: -55099.5,-7280




Geno: WT Bait: GYS2
Range: -55099.5,-7280




Geno.: WT Bait: Gys2intron
Range: -33965,9911




Geno.: WT Bait: Gys2intron
Range: -33965,9911




Geno.: WT Bait: Mreg
Range: -56686,-3485.5




Geno: , WT Bait: Mreg
Range: -56686,-3485.5



Geno.: KO Bait: CRY1
Range: -72200.5,7535




Geno.: KO Bait: CRY1
Range: -72200.5,7535



Geno:, KO Bait: Cry1intron
Range: -51432.5,9967

H3K27ac Zscore Peak to Trough


4C-Seq Log2 Fold Change




Geno:, KO Bait: Cry1intron
Range: -51432.5,9967

Pol2 Zscore Peak to Trough


4C-Seq Log2 Fold Change



Geno:, KO Bait: GYS2
Range: -55099.5,-7280




Geno:, KO Bait: GYS2
Range: -55099.5,-7280



Geno:, KO Bait: Gys2intron
Range: -33965,9911

H3K27ac Zscore Peak to Trough


4C-Seq Log2 Fold Change



Geno:, KO Bait: Gys2intron
Range: -33965,9911

Pol2 Zscore Peak to Trough


4C-Seq Log2 Fold Change



Geno:, KO Bait: Mreg
Range: -56686,-3485.5

H3K27ac Zscore Peak to Trough

4C-Seq Log2 Fold Change



Geno:, KO Bait: Mreg
Range: -56686,-3485.5

Pol2 Zscore Peak to Trough

4C-Seq Log2 Fold Change

